

EARLY SEASON FRESH CHIP FAVOURITE

Round oval white fleshed tubers suitable for early Chip production.

Excellent taste with potential for use as an early baker.

Benefits from dual eelworm resistance and a good tolerance to Spraing.

Relatively low tuber numbers (attention to seed rate required).

Susceptible to Rhizoctonia, also early blight programme advised.

ADVICE

N 4 a +

Do you need specific advice about seed rates, fertilisers or agronomy? Ask your local supplier or Meijer contact.

Start your blight program early as Accord is susceptible to Late Blight.

Ensure skin-set before harvesting.

Accord is liable to green easily. Ensure sufficient planting depth in well formed ridges.

CHARACTERISTICS

Maturity	7.5
Skin Colour	Light Yellow
Fresh Colour*	4.5
Tuber Shape**	RO/O
Eye Depth	7.5
Tuber Uniformity	8
Tuber Size	8
Freedom from Outgrades	8
Dry Matter %	21
Suitability for Cooking †	7BC / C
Dormancy	5.5

COMMENTS

1 = Negative	9 = Positi	ve
* 8 = Yellow	4 = White	
** R = Round	O = Oval	L = Long
† A = Firm D) = Mealv	

RESISTANCE

DI DV

PLRV	/
A-virus	8.5
X-virus	9.5
Y-virus	8
Yntn-virus	7
foliage Blight	3
Tuber Blight	7
Scabies	6
Spraing	6
Bruising	7
Secondary Growth	7
Ro1	9
Ro2 / 3	7
Pa2	-
Pa3	-
wz 1 (D1)	7
wz 2/6 (G1 / O1)	-
wz 18 (T1)	-

9 = Highly Resistant 1 = Very Susceptible

Resistance to Nematodes

Ro/Pa(x) = Globodera rostochiensis/G.pallida. Pathotype(x)
Ro1(=A), Ro2/Ro3(=BC), Pa2(=D),
Pa3(=E)
9 = Highly Resistant 1 = Very
Susceptible
Resistance to Wart Disease:
wz 1(D1), wz 2/6 (G1/O1, wz 18 (T1)
10 = Highly Resistant 3 = Very
Susceptible